

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G06F 157/00</b>	<b>A1</b>	(11) International Publication Number: <b>WO 95/16971</b>
		(43) International Publication Date: 22 June 1995 (22.06.95)

(21) International Application Number: PCT/US94/14319

(22) International Filing Date: 13 December 1994 (13.12.94)

(30) Priority Data:  
08/168,519 16 December 1993 (16.12.93) US

(71) Applicant: OPEN MARKET, INC. [US/US]; 215 First Street, Cambridge, MA 02141 (US).

(72) Inventor: GIFFORD, David, K.; 26 Pigeon Hill Road, Weston, MA 02193 (US).


(74) Agent: WALPERT, Gary, A.; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).

(81) Designated States: JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published  
With international search report.  
With amended claims and statement.

Date of publication of the amended claims and statement:  
27 July 1995 (27.07.95)

(54) Title: DIGITAL ACTIVE ADVERTISING



(57) Abstract

A complete system (200) for the purchasing of goods or information over a computer network (67) is presented. Merchant computers (63, 64) on the network (67) maintain databases of digital advertisements (65, 66) that are accessed by buyer computers (61, 62). In response to user inquiries, buyer computers (61, 62) retrieve and display advertisements from merchant computers (63, 64). A digital advertisement can include a program that is interpreted by a buyer's computer (61, 62). The buyer computers (61, 62) allow the users to purchase the product described by an advertisement. The form of payment can be requested after a purchase is initiated. A payment system (300) performs payment authorization. The payment system obtains account authorizations from an external financial system. Payment orders are signed with authenticators.

BEST AVAILABLE COPY

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

## AMENDED CLAIMS

[received by the International Bureau on 3 July 1995 (03.07.95);  
original claims 1-22 replaced by amended claims 1-42 (13 pages)]

1           1. A network sales system providing for real-time  
2 authorization of purchase transactions, comprising:  
3           a plurality of buyer computers; and  
4           a plurality of merchant computers;  
5           said plurality of buyer computers and said  
6 plurality of merchant computers being interconnected by a  
7 public packet switched communications network;  
8           at least one of said plurality of merchant  
9 computers being programmed to store digital  
10 advertisements in a database;  
11           each one of said buyer computers being programmed  
12 to receive a user inquiry and, in response to said user  
13 inquiry, to select at least one of said merchant  
14 computers and to transmit a network request thereto;  
15           at least one of said merchant computers being  
16 programmed to cause one of said digital advertisements to  
17 be communicated to said one of said buyer computers over  
18 said public packet switched communications network in  
19 response to said network request from said buyer  
20 computer;  
21           said one of said buyer computers being programmed  
22 to display said one of said digital advertisements, and,  
23 in response to a user request, to transmit to at least  
24 one of said merchant computers a purchase message and to  
25 cause a payment request, comprising a payment amount, to  
26 be transmitted into a payment system in order to initiate  
27 authorization of purchase of a product having real  
28 monetary value advertised in said one of said digital  
29 advertisements and in order to initiate recordation of  
30 said payment request and an authorization in a settlement  
31 database;  
32           at least one of said merchant computers being  
33 programmed to receive said purchase message, and to cause  
34 said product to be sent to said user conditioned on said

35 purchase transaction having been authorized in real time  
36 by a financial authorization network external to said  
37 network sales system, based on an external credit card  
38 account or an external demand deposit account having  
39 sufficient credit or funds of real monetary value  
40 available to said principal making said payment, and  
41 conditioned on at least one message transmitted over said  
42 public packet switched communications network in  
43 connection with purchase of said product not being a  
44 replay of a message previously transmitted over said  
45 public packet switched communications network.

1           2. A network sales system in accordance with  
2 claim 1, wherein said payment system is configured to  
3 perform a replay check of said payment request to  
4 determine whether an identical payment request was  
5 previously transmitted to said payment system.

1           3. A network sales system in accordance with  
2 claim 1, wherein said payment system verifies an  
3 authenticator in order to verify said identity of said  
4 principal making payment.

1           4. A network sales system in accordance with  
2 claim 3, wherein said payment system, upon verification  
3 of said authenticator, sends an authorization request to  
4 said financial authorization network and receives  
5 authorization from said financial authorization network.

1           5. A network sales system in accordance with  
2 claim 1, wherein at least one of said merchant computers  
3 is programmed to communicate a missing payment  
4 information request message to said buyer computer to  
5 obtain missing payment information, said buyer computer  
6 is programmed to query a user for said missing payment

7 information and to transmit said missing payment  
8 information to at least one of said merchant computers.

1 6. A network sales system in accordance with  
2 claim 1, wherein said payment request comprises a payment  
3 order that describes the identity of a sender, a payment  
4 amount, a beneficiary, and a nonce.

1 7. A network sales system in accordance with  
2 claim 1, wherein said payment system is external to said  
3 plurality of buyer computers and said plurality of  
4 merchant computers.

1 8. A network sales system in accordance with  
2 claim 1, wherein said demand deposit account comprises a  
3 debit card account.

1 9. A network payment system for transferring  
2 funds having real monetary value from a sender to a  
3 beneficiary and providing for real-time authorization of  
4 payment transactions by a financial authorization network  
5 external to said network payment system, comprising:  
6 a plurality of client computers; and  
7 at least one payment computer;  
8 said client computers and said payment computer  
9 being interconnected by a public packet switched  
10 communications network;  
11 each one of said client computers being programmed  
12 to construct a payment request specifying a payment  
13 amount to be transferred from a sender to a beneficiary,  
14 and to cause said payment request to be transmitted to  
15 said payment computer;  
16 said payment computer being programmed to cause a  
17 message to be transmitted into said financial  
18 authorization network external to said network payment

19 system in order to verify that said sender has adequate  
20 funds or credit having real monetary value, to receive an  
21 authorization from said financial authorization network  
22 in response to said message, to transmit an authorization  
23 message to said client computer, to cause said payment  
24 request and authorization to be recorded in a settlement  
25 database, and to cause funds having real monetary value  
26 to be transferred from said sender to said beneficiary  
27 conditioned on said payment request having been  
28 authorized in real time by said financial authorization  
29 network based on an external credit card account or an  
30 external demand deposit account having sufficient credit  
31 or funds of real monetary value available to said sender,  
32 and conditioned on at least one message transmitted over  
33 said public packet switched communications network in  
34 connection with transfer of said funds not being a replay  
35 of a message previously transmitted over said public  
36 packet switched communications network.

1 10. A network payment system in accordance with  
2 claim 9, wherein said payment computer is programmed to  
3 perform a replay check of said payment request to  
4 determine whether an identical payment request was  
5 previously transmitted to said payment computer.

1 11. A network payment system in accordance with  
2 claim 9, wherein said payment request comprises at least  
3 a partial delivery address, and wherein said payment  
4 computer is programmed to cause said delivery address to  
5 be checked against a database of allowed delivery  
6 addresses for said sender.

1 12. A network payment system in accordance with  
2 claim 9, wherein said payment computer is programmed to  
3 cause at least partial allowed delivery addresses for

4 said sender to be determined, and wherein said  
5 authorization message comprises said at least partial  
6 allowed delivery addresses.

1 13. A network payment system in accordance with  
2 claim 9, wherein said authorization message comprises an  
3 authenticator.

1 14. A network payment system in accordance with  
2 claim 9, wherein said client computer is programmed to  
3 cause an authenticator that verifies to said payment  
4 computer the identity of said sender to be transmitted to  
5 said payment computer, and wherein said payment computer  
6 is programmed to examine said authenticator to verify  
7 said identity of said sender.

1 15. A network payment system in accordance with  
2 claim 14, wherein said client computer is programmed to  
3 generate a next expected transaction identifier for said  
4 sender and to use it to create said authenticator, and  
5 wherein said payment computer is programmed to generate  
6 said next expected transaction identifier for said sender  
7 and to verify that said authenticator was created using  
8 said next expected transaction identifier.

1 16. A network payment system in accordance with  
2 claim 14, wherein said client computer is programmed to  
3 generate said authenticator using an external device, and  
4 wherein said payment computer is programmed to verify  
5 that said authenticator was created using said external  
6 device.

1 17. A network payment system in accordance with  
2 claim 14, wherein said payment request comprises a  
3 network address of said client computer, and wherein said

4 payment computer is programmed to verify that said  
5 payment request was constructed at said network address.

1 18. A network payment system in accordance with  
2 claim 13, wherein said payment request comprises a  
3 network address of said client computer, and wherein said  
4 payment computer is programmed to check said network  
5 address against a database of allowed client addresses  
6 for said sender.

1 19. A network payment system in accordance with  
2 claim 9, wherein said payment computer is programmed to  
3 determine whether real-time authorization is necessary  
4 and to cause said message to be transmitted into said  
5 financial authorization network to verify that said  
6 sender has adequate funds or credit only if said payment  
7 computer has determined that real-time authorization is  
8 necessary.

1 20. A network payment system in accordance with  
2 claim 9, wherein said demand deposit account comprises a  
3 debit card account.

1 21. A method of effecting sales over a network  
2 sales system comprising a plurality of buyer computers  
3 and a plurality of merchant computers interconnected by a  
4 public packet switched communications network, said  
5 method providing for real-time authorization of purchase  
6 transactions and comprising the steps of:  
7 storing digital advertisements in a database;  
8 receiving a user inquiry at one of said buyer  
9 computers and, in response to said user inquiry,  
10 selecting one of said merchant computers, and  
11 transmitting a network request from said one of said  
12 buyer computers thereto;



13           communicating one of said digital advertisements  
14   from one of said merchant computers to said one of said  
15   buyer computers over said public packet switched  
16   communications network in response to said network  
17   request from said buyer computer;

18           displaying said one of said digital advertisements  
19   at said one of said buyer computers, and, in response to  
20   a user request, transmitting from said one of said buyer  
21   computers to one of said merchant computers a purchase  
22   message, and causing a payment request, comprising a  
23   payment amount, to be transmitted into a payment system  
24   in order to initiate authorization of purchase of a  
25   product having real monetary value advertised in said one  
26   of said digital advertisements and in order to initiate  
27   recordation of said payment request and an authorization  
28   in a settlement database; and

29           receiving said purchase message at one of said  
30   merchant computers, and causing said product to be sent  
31   to said user conditioned on said purchase transaction  
32   having been authorized in real time by a financial  
33   authorization network external to said network sales  
34   system, based on an external credit card account or an  
35   external demand deposit account having sufficient credit,  
36   or funds of real monetary value available to said  
37   principal making said payment, and conditioned on at  
38   least one message transmitted over said public packet  
39   switched communications network in connection with said  
40   purchase transaction not being a replay of a message  
41   previously transmitted over said public packet switched  
42   communications network.

1           22. A method in accordance with claim 21, further  
2   comprising the step of performing a replay check, at said  
3   payment system, of said payment request to determine

4 whether an identical payment request was previously  
5 transmitted to said payment system.

1 23. A method in accordance with claim 21, wherein  
2 said method further comprises the steps of verifying, at  
3 said payment computer, an authenticator in order to  
4 verify said identity of said principal making payment.

1 24. A method in accordance with claim 23, further  
2 comprising the steps of, upon verification of said  
3 authenticator, sending an authorization request from said  
4 payment computer to said financial authorization network,  
5 and receiving at said payment computer authorization from  
6 said financial authorization network.

1 25. A method in accordance with claim 21, further  
2 comprising the steps of communicating a missing payment  
3 information request message from one of said merchant  
4 computers to said buyer computer to obtain missing  
5 payment information, querying a user for said missing  
6 payment information, and transmitting said missing  
7 payment information from said buyer computer to one of  
8 said merchant computers.

1 26. A method in accordance with claim 21, wherein  
2 said payment request comprises a payment order that  
3 describes the identity of a sender, a payment amount, a  
4 beneficiary, and a nonce.

1 27. A method in accordance with claim 21, wherein  
2 said payment system is external to said plurality of  
3 buyer computers and said plurality of merchant computers.

1           28. A method in accordance with claim 21, wherein  
2 said demand deposit account comprises a debit card  
3 account.

1           29. A method of transferring funds having real  
2 monetary value from a sender to a beneficiary using a  
3 network payment system comprising a plurality of client  
4 computers and at least one payment computer  
5 interconnected by a public packet switched communications  
6 network, said method providing for real-time  
7 authorization of purchase transactions by a financial  
8 authorization network external to said network payment  
9 system and comprising the steps of:

10           constructing a payment request at one of said  
11 client computers specifying a payment amount to be  
12 transferred from a sender to a beneficiary, and causing  
13 said payment request to be transmitted to said payment  
14 computer; and

15           causing a message to be transmitted into said  
16 financial authorization network external to said network  
17 payment system in order to verify that said sender has  
18 adequate funds or credit having real monetary value,  
19 receiving, at said payment computer, an authorization  
20 from said financial authorization system in response to  
21 said message, transmitting an authorization message from  
22 said payment computer to said client computer, causing  
23 said payment request and authorization to be recorded in  
24 a settlement database, and causing funds having real  
25 monetary value to be transferred from said sender to said  
26 beneficiary conditioned on said payment request having  
27 been authorized in real time by said financial  
28 authorization system based on an external credit card  
29 account or an external demand deposit account having  
30 sufficient credit or funds of real monetary value  
31 available to said sender, and conditioned on at least one

32 message transmitted over said public packet switched  
33 communications network in connection with transfer of  
34 said funds not being a replay of a message previously  
35 transmitted over said public packet switched  
36 communications network.

1           30. A method in accordance with claim 29, further  
2 comprising the step of performing a replay check, at said  
3 payment computer, of said payment request to determine  
4 whether an identical payment request was previously  
5 transmitted to said payment computer.

1           31. A method in accordance with claim 29, wherein  
2 said payment request comprises at least a partial  
3 delivery address, and wherein said method further  
4 comprises the step of checking said delivery address  
5 against a database of allowed delivery addresses for said  
6 sender.

1           32. A method in accordance with claim 29, further  
2 comprising the steps of determining at least partial  
3 allowed delivery addresses for said sender, and wherein  
4 said authorization message comprises said at least  
5 partial allowed delivery addresses.

1           33. A method in accordance with claim 29, wherein  
2 said authorization message comprises an authenticator.

1           34. A method in accordance with claim 29, wherein  
2 further comprising the steps of causing an authenticator  
3 that verifies to said payment computer the identity of  
4 said sender to be transmitted to said payment computer,  
5 and examining said authenticator at said payment computer  
6 to verify said identity of said sender.

1           35. A method in accordance with claim 34, further  
2 comprising the steps of generating, at said client  
3 computer, a next expected transaction identifier for said  
4 sender and using it to create said authenticator, and  
5 generating, at said payment computer said next expected  
6 transaction identifier for said sender, and verifying, at  
7 said payment computer, that said authenticator was  
8 created using said next expected transaction identifier.

1           36. A method in accordance with claim 34, further  
2 comprising the steps of generating said authenticator at  
3 said client computer using an external device, and  
4 verifying, at said payment computer that said  
5 authenticator was created using said external device.

1           37. A method in accordance with claim 34, wherein  
2 said payment request comprises a network address of said  
3 client computer, and wherein said method further  
4 comprises verifying, at said payment computer, that said  
5 payment request was constructed at said network address.

1           38. A method in accordance with claim 29, wherein  
2 said payment request comprises a network address of said  
3 client computer, and wherein said method further  
4 comprises the step of checking, at said payment computer,  
5 said network address against a database of allowed client  
6 addresses for said sender.

1           39. A method in accordance with claim 29, further  
2 comprising the steps of determining, at said payment  
3 computer, whether real-time authorization is necessary,  
4 and causing said message to be transmitted into said  
5 financial authorization network to verify that said  
6 sender has adequate funds or credit only if said payment

7 computer has determined that real-time authorization is  
8 necessary.

1 40. A method in accordance with claim 29, wherein  
2 said demand deposit account comprises a debit card  
3 account.

1 41. A network sales system providing for real-  
2 time authorization of purchase transactions, comprising:  
3 a plurality of buyer computers; and  
4 a plurality of merchant computers;  
5 said plurality of buyer computers and said  
6 plurality of merchant computers being interconnected by a  
7 public packet switched communications network;  
8 each of said buyer computers being programmed to  
9 transmit to at least one of said merchant computers, in  
10 response to a user request, a purchase message and to  
11 cause a payment request, comprising a payment amount, to  
12 be transmitted into a payment system in order to initiate  
13 authorization of purchase of a product having real  
14 monetary value and in order to initiate recordation of  
15 said payment request and an authorization in a settlement  
16 database;  
17 at least one of said merchant computers being  
18 programmed to receive said purchase message, and to cause  
19 said product to be sent to said user conditioned on said  
20 purchase transaction having been authorized in real time  
21 by a financial authorization network external to said  
22 network sales system, based on an external credit card  
23 account or an external demand deposit account having  
24 sufficient credit or funds of real monetary value  
25 available to a principal making said payment, and  
26 conditioned on at least one message transmitted over said  
27 public packet switched communications network in  
28 connection with purchase of said product not being a

29 replay of a message previously transmitted over said  
30 public packet switched communications network.

1           42. A method of effecting sales over a network  
2 sales system comprising a plurality of buyer computers  
3 and a plurality of merchant computers interconnected by a  
4 public packet switched communications network, said  
5 method providing for real-time authorization of purchase  
6 transactions and comprising the steps of:  
7           in response to a user request, transmitting from  
8 one of said buyer computers to one of said merchant  
9 computers a purchase message, and causing a payment  
10 request, comprising a payment amount, to be transmitted  
11 into a payment system in order to initiate authorization  
12 of purchase of a product having real monetary value and  
13 in order to initiate recordation of said payment request  
14 and an authorization in a settlement database; and  
15           receiving said purchase message at one of said  
16 merchant computers, and causing said product to be sent  
17 to said user conditioned on said purchase transaction  
18 having been authorized in real time by a financial  
19 authorization network external to said network sales  
20 system, based on an external credit card account or an  
21 external demand deposit account having sufficient credit  
22 or funds of real monetary value available to a principal  
23 making said payment, and conditioned on at least one  
24 message transmitted over said public packet switched  
25 communications network in connection with said purchase  
26 transaction not being a replay of a message previously  
27 transmitted over said public packet switched  
28 communications network.

**STATEMENT UNDER ARTICLE 19**

In response to the search report the existing claims have been cancelled and new claims have been introduced. Replacement pages have been provided with this amendment. If there are any charges or credits not covered, please apply them to Deposit Account No. 06-1050. Any inquiry concerning this communication may be directed to the undersigned at the telephone number provided below.






## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G06F 157/00</b>	<b>A1</b>	(11) International Publication Number: <b>WO 95/16971</b> (43) International Publication Date: <b>22 June 1995 (22.06.95)</b>
(21) International Application Number: <b>PCT/US94/14319</b> (22) International Filing Date: <b>13 December 1994 (13.12.94)</b> (30) Priority Data: <b>08/168,519</b> <b>16 December 1993 (16.12.93)</b> <b>US</b> (71) Applicant: <b>OPEN MARKET, INC. [US/US]; 215 First Street, Cambridge, MA 02141 (US).</b> (72) Inventor: <b>GIFFORD, David, K.; 26 Pigeon Hill Road, Weston, MA 02193 (US).</b> (74) Agent: <b>WALPERT, Gary, A.; Fish &amp; Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).</b>		(81) Designated States: <b>JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</b>  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: DIGITAL ACTIVE ADVERTISING



## (57) Abstract

A complete system (200) for the purchasing of goods or information over a computer network (67) is presented. Merchant computers (63, 64) on the network (67) maintain databases of digital advertisements (65, 66) that are accessed by buyer computers (61, 62). In response to user inquiries, buyer computers (61, 62) retrieve and display advertisements from merchant computers (63, 64). A digital advertisement can include a program that is interpreted by a buyer's computer (61, 62). The buyer computers (61, 62) allow the users to purchase the product described by an advertisement. The form of payment can be requested after a purchase is initiated. A payment system (300) performs payment authorization. The payment system obtains account authorizations from an external financial system. Payment orders are signed with authenticators.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

DIGITAL ACTIVE ADVERTISING  
BACKGROUND OF THE INVENTION

5           The recent rapid growth of information applications on international public packet-switched computer networks such as the Internet suggests that public computer networks have the potential to establish a new kind of open marketplace for goods and services.  
10 Such a marketplace could be created with a network sales system that comprises a plurality of buyer and merchant computers, means for the users of the buyer computers to display digital advertisements from the merchant computers, and means for the users to purchase products  
15 described by the advertisements.

          A network based sales system will need to allow users to preview products at little or no cost, and will need to make a large number of product advertisements available in a convenient manner. In addition, the  
20 shopping system will need to include easy-to-use facilities for a user to purchase desired products using a merchant independent payment method. In addition the network sales will need to allow new buyers and merchants to enter the market.

25           A central requirement for a marketplace is a payment mechanism, but at present no merchant independent payment mechanism is available for computer networks that permits users to utilize conventional financial instruments such as credit cards, debit cards, and demand  
30 deposit account balances. We expect that both retail payment and wholesale payment mechanisms will be required for networks, with consumers using the retail mechanism for modest size purchases, and institutions using the wholesale mechanism for performing settlement between  
35 trading partners. For wide acceptance the retail mechanism will need to be a logical evolution of existing

- 2 -

credit-card, debit-card, and Automated Clearing House facilities, while for acceptance the wholesale mechanism will need to be an evolved version of corporate electronic funds transfer.

5           These problems of have been approached in the past by network based sales systems wherein, for example, each merchant maintains an account for each user. A user must establish an account with each merchant in advance in order to be able to utilize the merchant. The prior  
10 art network based sales systems are not designed to allow users to use their existing credit card and demand deposit accounts for payment, nor are they designed to allow for programs to be included in digital advertisements.

15           According, therefore, it is a primary objective of this invention to provide a user interactive network sales system in which the user can freely use any merchant of choice and utilize existing financial instruments for payment. Other objects include a network  
20 sales system which provides a high-quality user interface, which provides users with a wide variety and large volume of advertisements, which is easily extensible to new services, and which is easily expanded to new applications within the existing infrastructure of  
25 the system.

          Still other objects of the invention are to provide a network payment system that will authorize payment orders and remove part of the risk of fraud from merchants.

30           An unavoidable property of public computer networks is that they are comprised of switching, transmission, and host computer components controlled by many individuals and organizations. Thus it is impossible for a network payment system to depend upon a  
35 specified minimum required degree of software, hardware,

- 3 -

and physical security for all of the components in a public network. For example, secret keys stored in a given user's personal computer can be compromised, switches can be tampered with to redirect traffic, and  
5 transmission facilities can be intercepted and manipulated.

The risk of performing retail payment in a public network is compounded by statutes that make a payment system operator in part liable for the security lapses of  
10 its users. Existing Federal statutes in the United States, including the Electronic Funds Transfer Act and the Consumer Credit Protection Act, require the operator of a payment mechanism to limit consumer liability in many cases. Payment system operators may have other  
15 fiduciary responsibilities for wholesale transactions. Similar responsibilities exist in other countries for retail and wholesale transactions.

In existing credit card payment systems, a credit card's issuing bank takes on the fraud risk associated  
20 with misuse of the card when a merchant follows established card acceptance protocols. Acceptance protocols can include verifying a card holder's signature on the back of their card and obtaining authorization for payments over a certain value. However, in network based  
25 commerce a merchant can not physically examine a purchaser's credit card, and thus the fraud risk may revert to the merchant in so called "card not present" transactions. Many merchants can not qualify to take this risk because of their limited financial resources.  
30 Thus the invention is important to allow many merchants to participate in network based commerce.

Other objects of the invention include utilizing existing financial instruments such as credit cards, debit cards, and demand deposit accounts for merchant  
35 payments.

- 4 -

Existing network payment systems do not connect to the financial system for authorization and are not compatible with conventional financial instruments.

Existing network payment systems include the Simple  
5 Network Payment Protocol [Dukach, S., SNPP: A Simple  
Network Payment Protocol, MIT Laboratory for Computer  
Science, Cambridge, MA, 1993.], Sirbu's Internet Billing  
Server [Sirbu, M. A., Internet Billing Service Design and  
Prototype Implementation, Information Networking Program,  
10 Carnegie-Mellon University, 1993], and NetCash [Medvinsky,  
G., and Newman, B. C., NetCash: A Design for Practical  
Electronic Currency on the Internet, Proc. 1st ACM Conf.  
on Comp. and Comm. Security, November, 1993].

A further object of the invention is to allow  
15 users in an untrusted network environment to use  
conventional financial instruments without requiring  
modification to existing financial system networks.

The following definitions apply to the present  
invention. A principal is a person, company,  
20 institution, or other entity that is authorized to  
transact business as part of a network payment system. A  
payment order describes the identity of a sender, a  
payment amount, a beneficiary, and a sender unique nonce.

A sender is a principal making a payment. A beneficiary  
25 is a principal to be paid by the payment system. A  
sender unique nonce is an identifier that is used only  
once by a given sender. An example of sender unique  
nonces are unique timestamps. An external account is an  
account that can be used to settle a payment order for  
30 either a sender or a beneficiary in the external  
financial system. Examples of external accounts include  
demand deposit accounts and credit card accounts. An  
external device is a physical object that is kept in the  
possession of a user for the purpose of identifying the  
35 user.

- 5 -

A network payment system is a service that authorizes and executes digital payment orders that are backed by external accounts. A payment system authenticates a payment order, checks for sufficient funds or credit, and then originates funds transfer transactions to carry out the payment order. A payment system acknowledges acceptance or rejection of a payment order. More than one payment system may exist on a given network, and a given payment system may operate on more than one host to increase its reliability, availability, and performance. An authenticator is a digital value that is appended to a payment order and becomes part of the payment order that authenticates the payment order as genuine.

15                   SUMMARY OF THE INVENTION

The invention relates to a network sales system for enabling users to purchase products using a plurality of buyer computers that communicate over a network with a plurality of merchant computers. Each merchant computer has a database of digital advertisements. Each digital advertisement includes a price and a product abstract. Buyer computers request, display, and respond to digital advertisements from merchant computers. Users can purchase products with their buyer computers after they have specified an account to pay for the purchase. A network payment service is used to authorize the purchase before merchant fulfillment is performed.

In a particular aspect of the invention, the merchant computer can request account information when it is not provided by the buyer computer. In another aspect of the invention, the buyer computer can present to a merchant a pre-authorized payment order that is obtained from a network payment system.

In another aspect of the invention, an electronic sales system contains digital advertisements that include

- 6 -

programs. The programs are executed on behalf of a user by a buyer computer, and can lead to a purchase request directed to a merchant computer that performs product fulfillment.

5 In another aspect of the invention a network payment system executes payment orders. A payment order includes a sender, a beneficiary, a payment amount, and a nonce identifier. A payment order is signed by a client computer with an authenticator that is checked by the  
10 payment system. Payment orders are backed by accounts in the banking system, and are authorized by the network payment system by sending messages into a financial authorization network that knows the status of these accounts. The payment system accomplishes settlement by  
15 sending messages into an existing financial system network.

In another aspect, payment orders are authenticated based on the delivery address they specify. In another aspect, the payment system will specify in its  
20 authorization legal delivery addresses. In another aspect, authenticators for payment orders are based on one-time transaction identifiers that are known only to the user and the payment system. In another aspect, payment orders for a given sender are only accepted from  
25 certain client computer network addresses. In another aspect, the network payment system sends messages into a financial authorization system in real-time before the network payment system will authorize a payment order.

#### BRIEF DESCRIPTION OF THE DRAWINGS

30 Other objects, features, and advantages of the invention will appear from the following description taken together with the drawings in which:

Figure 1 is a block diagram of a typical network sales system in accordance with the invention;



- 7 -

Figure 2 is a screen snapshot of a buyer computer display of an overview page from a merchant computer;

Figure 3 is a screen snapshot of a buyer computer display of a page of digital advertisements from a  
5 merchant computer;

Figure 4 is a screen snapshot of a buyer computer display of an account query page;

Figure 5 is a screen snapshot of a buyer computer display of a fulfillment page;

10 Figure 6 is a flow chart illustrating the processing of a sale between a buyer computer and a merchant computer;

Figure 7 is a flow chart illustrating the alternate processing of payment order means for obtaining  
15 missing payment information;

Figure 8 is a screen snapshot of a buyer computer display of an overview page from a merchant computer that contains a query input by the user;

Figure 9 is a screen snapshot of a buyer computer  
20 display of digital advertisements in response to a user's query;

Figure 10 is a screen snapshot of a buyer computer screen of a purchase confirmation;

Figure 11 is a screen snapshot of a buyer display  
25 of a fulfillment page like Figure 5;

Figure 12 is a flow chart illustrating an alternate processing of a sale between a buyer computer and a merchant computer where a payment order is pre-authorized;

30 Figure 13 is a block diagram of a typical network payment system in accordance with the invention;

Figure 14 is a flow chart illustrating the authentication, authorization, and settlement of a payment order;

- 8 -

Figure 15 is a flow chart illustrating an alternate processing of the authentication and verification of a payment order where transaction identifiers are used; and

5        Figure 16 is a flow chart illustrating an alternate processing of the authorization of a payment order where real-time approval from the financial authorization network may not be obtained.

DESCRIPTION OF A PARTICULAR PREFERRED EMBODIMENT

10        A network sales system 200 as shown in Figure 1 employs a network 67 to interconnect a plurality of buyer computers 61 and 62, merchant computers 63 and 64, each merchant computer with respective digital advertisement databases 65 and 66, and a payment computer 68. A user  
15 of the system employs a buyer computer to retrieve advertisements from the merchant computers, and to purchase goods of interest. A payment computer is used to authorize a purchase transaction.

A digital advertisement includes a product  
20 description and a price. In digital advertisement database 65 prices and descriptions may be stored separately, and one price may apply to many product descriptions.

In an alternate embodiment, the network sales  
25 system further includes external devices that are kept in the possession of users so that the users can authenticate themselves when they use a buyer computer.

The software architecture underlying the particular preferred embodiment is based upon the  
30 hypertext conventions of the World Wide Web. Appendix A describes the Hypertext Markup Language (HTML) document format used to represent digital advertisements, Appendix B describes the HTML forms fill out support in Mosaic 2.0, Appendix C is a description of the Hypertext  
35 Transfer Protocol (HTTP) between buyer and merchant

- 9 -

computers, and Appendix D describes how documents are named with Uniform Resource Locators (URLs) in the network of computers. A document is defined to be any type of digital data broadly construed, such as  
5 multimedia documents that include text, audio, and video, and documents that contain programs.

Figure 2 shows an overview screen that has been retrieved from a merchant computer by a buyer computer and displayed by the buyer computer. It includes links  
10 1, 2, and 3 that when activated by a user cause the buyer's computer to take specified actions. In the case of link 1, the document shown in Figure 3 is retrieved from a merchant computer and displayed. In the case of link 2, a short audio segment is retrieved from a  
15 merchant computer and played. In the case of link 3, the query that can be entered into the query dialog box 4 is sent to a merchant computer, and a document is retrieved from the merchant computer and displayed.

Figure 3 shows a document that contains three  
20 digital advertisements. The digital advertisements have been retrieved from the merchant computer after the activation of link 3. The merchant computer may set the prices contained in the advertisements based on the on the identity of the user as determined, for example, by  
25 the network address of the requesting buyer computer. The document includes links 5, 6, and 7 that are used to purchase the products described by the advertisements. For example, if link 5 is activated the missing payment information document shown in Figure 4 is retrieved from  
30 the merchant computer and displayed.

Figure 4 is a missing payment information document that is used to gather user account information for the requested purchase in an HTML form. Radio buttons 8, 9, 10, 11, 12 are used to select a means of  
35 payment, dialog box 13 is used to enter an account

- 10 -

number, dialog box 14 is used to enter an optional authenticator for the account, purchase button 15 is used to send the account information to the merchant computer and proceed with the purchase, link 16 is used to abort  
5 the purchase and return to the document shown in Figure 2, and dialog box 17 is used to enter optional user information that is associated with the purchase and ultimately used by a financial institution as part of a textual billing identifier for the purchase transaction.  
10 If provided, this additional information is included in the payment order for the purchase.

Figure 5 is a fulfillment document 18 that is produced once valid account information is provided to the missing payment information document in Figure 4 and  
15 purchase button 15 is activated.

Figure 6 is a flowchart that more fully describes the information flow in the purchase transaction shown in Figures 2 to 5. An initial user inquiry 19 from activating link 1 results in the HTTP request 20 for a  
20 specific document with a specified URL. The URL specifies the name of the merchant computer. The merchant computer retrieves the document given the URL at 21, and returns it to the buyer computer at 22. The buyer computer displays the resulting HTML document at  
25 23. When the user activates link 5, an HTTP request 25 is sent to the merchant computer requesting the document.

In an alternate embodiment, document 22 is executed at 23 as a program. A program is defined as a set of instructions that can exhibit conditional behavior  
30 based upon user actions or the environment of the buyer computer. As is known to those skilled in the art, there are many techniques for representing programs as data. The program can be interpreted or it can be directly executed by the buyer computer. The program when  
35 executed will cause the buyer computer to interact with

- 11 -

the user leading to the user purchase request 24, and the purchase message 25.

The merchant computer then attempts to construct a payment order at 26 using the information it has gathered about the user. The buyer computer may have previously supplied certain credentials using fill out forms or other account identification means such as providing the network address of the buyer computer in the normal course of communication. If the buyer computer is able to construct a complete payment order at 26 the payment order is sent to a payment computer for authorization at 27. If a payment order can be constructed, processing continues at 28.

Alternatively, the buyer computer may construct the payment order at 24 and send it to the merchant computer at 25. In this case, the payment order assembly steps at 26, at the merchant computer, may only need to forward the payment order from the buyer computer.

A payment order includes user account information, merchant account information, an amount, and a nonce identifier that has not been previously used for the same user account. Variations of payment orders can be constructed, including payment orders that specify user or merchant identifiers in place of account information, payment orders that specify a valid time period, payment orders that specify foreign currencies, and payment orders that include comment strings. Part of the process of constructing a payment order is creating a corresponding authenticator using one of the authenticator methods described below.

In the illustrated embodiment of Figures 3 and 4, the merchant computer does not have sufficient information to construct a payment order at 26 and thus at 33 (Figure 7) constructs and returns a missing payment information document in response to request 25.

- 12 -

Operation 33 includes in the constructed document appropriate form fields based on what information the merchant computer has already collected from the user. The document is returned to the buyer computer at 34 and is displayed at 35. When the user presses the purchase button 15, the contents of the form are transmitted to the merchant computer, at 36, to a specific URL name, using an HTTP request. Based on the supplied form fields, the merchant computer constructs a complete payment order. Alternatively, the buyer computer may construct the payment order at 35 and send it to the merchant computer as part of step 36. In this case, the payment order assembly steps 37 at the merchant computer simply passes on the payment order from the buyer computer. The payment order is sent to the payment computer in a message at 38.

In either case, the flowchart continues in Figure 6 where the payment computer checks the authorization of the payment order at 28. If the payment system authorizes the request, an authorization message at 29 is returned to the buyer computer, and the merchant computer checks at 30 that the authorization message came from the payment computer using the authenticator mechanism described below. Assuming that the authorization message is valid, the merchant computer performs fulfillment at 30, returning the purchased product in response at 31.

In our example in Figure 5 the response at 31 is document 18 that was the logical target of link 5. If the payment system does not authorize the payment order then response 31 is a rejection of the user's purchase request.

In an alternate embodiment, step 30 can encrypt the document using a key that is known to the buyer computer. As is known to those skilled in the art, the key can be communicated to the merchant computer using convention key distribution protocols. In this manner

- 13 -

the document will be protected from disclosure to other users.

The fulfillment step at 30 can alternatively schedule a physical product to be shipped via ordinary  
5 mail or other means. This can be accomplished by updating a fulfillment request database or by sending a message to a shipping system. In this case the response at 31 is a confirmation that the product has been scheduled to ship. In this way the network sales system  
10 can implement an electronic mail order system.

Figures 8, 9, 10, and 11 show a second example that uses query based access to digital advertisements. It is assumed that the previous example was used by the user immediately before at the same buyer computer.

15 Figure 8 shows the overview screen where the query "movie review" has been entered into dialog box 39. When the user activates process button 40, the merchant searches databases as described by the URL attached to button 40, and creates a response document as shown in  
20 Figure 9.

Figure 9 shows digital advertisements 39, 40, 41, 42, 43, and 44 that were found in response to the query initiated by button 40. A scroll bar 45 shows that there are additional digital advertisements that are not shown.  
25 When link 46 is activated, the missing account information document shown in Figure 10 is returned by the merchant computer.

Figure 10 shows that the merchant computer has partial information on the buyer's account. Message 47  
30 shows that the merchant computer already knows the buyer's account number. Purchase button 48 will send the optional user reference string in dialog box 50 to the merchant computer described by the URL behind button 48 and purchase the product corresponding to digital

- 14 -

advertisement 39. Cancel link 49 will return the user to the document shown in Figure 2.

When purchase button 48 is activated, a document 51 is sent by the merchant computer and displayed by the buyer computer as shown in Figure 11.

Figure 12 shows an alternative method of processing a sales transaction. In this method when the user requests a purchase at 52, the buyer computer constructs a payment order at 53 and sends it for approval to the payment computer at 54. The payment computer authorizes the payment order at 55; and when the payment order is authorized, returns an unforgable certificate at 56 that the payment order is valid. Means of creating such unforgable certificates are described in authenticator method number one below. If at step 55 the payment order is not authorized, a rejection message is sent at 56 and the sales transaction is terminated.

The buyer computer then proceeds at 57 to send a pre-authorized purchase request to the merchant computer. The unforgable certificate 56 is included in a purchase message at 57 that is sent at 58 to the merchant computer. Based upon the pre-authorized payment order the merchant computer performs fulfillment at 59 and returns the product at 60. In a variation, the merchant computer at 59 checks to ensure the payment order has not been previously used. This can be accomplished by checking with a payment computer or maintaining a merchant computer database of previously accepted payment orders. The unforgable certificate created at step 56 does not need to include the user account information. This variation is useful if the user wishes to make purchases and remain anonymous to the merchant.



- 15 -

### A Network Payment System

A network payment system 300 as shown in Figure 13, employs a public packet-switched network 69 to interconnect a plurality of client computers 70 and 71, and a plurality of payment computers such as 72, each payment computer having an account database 73, a settlement database 74, an authorized address database 75, a sender credential database 76, a financial system interface 77, and a real-time authorization interface 78. The interfaces 77 and 78 may be implemented by a single communications line.

In an alternate embodiment, the network payment system further includes external devices that are kept in the possession of users so that the users can authenticate themselves when they use a buyer computer.

Account database 73 maintains temporal spending amounts, such as the amount spent in the current day, and also maintains temporal spending limits. The account database may also maintain a translation between principal identifiers and external account identifiers. Settlement database 74 records committed payment orders along with any authorization information for the orders that was obtained from interface 78. Address database 75 maintains for each sender a list of authorized buyer computer and delivery addresses. Credential database 76 maintains a list of credentials for principals and information that can be used to authenticate principals.

Figure 14 is a flowchart that describes the operation of the payment system. A client computer 71 constructs a payment order at 79, and computes and adds an authenticator to the payment order at 80. The payment order is sent at 81 to a payment computer, where the authenticator is verified at 82 to ensure that the payment order was originated by the sender it describes.

- 16 -

Below we present different means of implementing 80 and 82.

If the payment order is authentic and address restrictions are desired, at 83, either or both of the client computer address or the specified delivery address can be checked against address database 75. If address restrictions are desired and if the addresses in the payment order are not in the database, the payment computer sends a rejection message to the client computer. Address database 75 specifies, for each principal, acceptable client computer addresses and delivery addresses. A delivery address can be a network address, or a street address for packaged goods. As is known in the art, database 75 can include wild-card specifications and similar techniques to reduce its size.

For example, database 75 could contain an entry for principal identifier "\*@acme.com" restricting legal delivery addresses to "computer: \*.com", "computer: cmu.edu", and "surface: \*, 34 Main Street, Anytown, USA", indicating that any user at the company Acme can order products to be delivered to the network address at Acme or the university CMU, or to anyone at 34 Main Street, Anytown, USA.

If payment order address restrictions are not desired or have been checked, processing continues at 84 where the payment order is checked for replay and temporal spending limits. Replay is checked for by making sure that the sender did not previously present a payment order with the same nonce by checking an index of committed payment orders by nonce in settlement database 74. If nonces are based on time, then a payment order that is older than an administratively determined value can be rejected out of hand. Time based nonces or sequential nonces permit old nonces to be removed from the settlement database 74. If a payment order has been

- 17 -

previously processed or its nonce is too old, the payment order computer sends a rejection message to the client.

After the payment order passes the replay check, temporal spending limits are checked in account database 73. These spending limits can be applied on a per sender, per group of senders, and per payment system basis to limit fraud risk. The limits can be applied to any duration of time, for example a maximum spending amount per hour or per day. If the payment order would violate a spending limit, the payment computer sends a rejection message to the client.

Once the payment order passes the temporal spending check at 84, a message is constructed at 85 to check that the external account that backs the sender's payment system account has adequate funds or credit. If the sender identifier in the payment order is not already an account number in the external financial system, it is translated into a corresponding account number in the external financial system using account database 73. A real-time authorization request message is sent at 86 to the external financial system over interface 78. If the external financial system approves authorization request 86, an authorization message is returned at 87. If request 86 is not approved, the payment computer sends a rejection message to the client at 87.

In a variation of the above described approach, processing continues at 95 after 84. At 95 real-time authorization is only obtained when the total of a sender's payments since the last real-time authorization reaches a preset value, or the payment order is over a preset amount. These preset values can be optionally recorded on a per principal basis in database 73 or can be administratively determined for all principals. In this manner, the number of messages to the external financial system can be reduced. In addition, the

- 18 -

payment system can avoid making real-time authorization requests for small payments when the risk is acceptable to the payment system operator. If real-time authorization is necessary, processing continues at 85 after 95. If real-time authorization is not necessary for a request, at 100 the payment order amount is added to the sender's total of payments since the last real-time authorization in database 73, and processing continues at 88.

10           In another variation after 100 a check is made at 101 in database 73 to see if a background authorization process should be scheduled. A background authorization process permits the payment computer to continue its normal processing while it checks with the financial  
15 authorization network on the sender's account. This mechanism can be used to limit payment system risk. If the background authorization fails, the account is suspended by so updating database 73. If the sender's total of payments since last authorization is over a  
20 preset value stored in 73 then a background authorization process is scheduled at 102. Otherwise processing continues at 88.

          In another variation, at 95 and 101 authorizations are obtained based on the amount spent  
25 since last authorization and time since last authorization.

          At 88 the payment order is committed to execution and is recorded in settlement database 74. Recorded with the payment order in database 74 are portions of  
30 authentication message 87 that show that the payment computer contacted the remote financial system. The amount of the payment order is added to running temporal spending records in database 73, and an authorization message is sent to the client computer at 90. The  
35 authorization message includes the payment order. In an

- 19 -

alternate embodiment, at 90 the authorization message contains a truncated payment order that includes at least the payment order's sender and the payment order's unique nonce.

5       In an alternate embodiment, the authorization message sent to the client at 90 includes at least one legal delivery addresses for the sender as determined from database 75.

10       Authorization message 90 must be transmitted in such a way that the client computer can be sure that it came from the payment computer. At 89 a payment system specific authenticator is added payment order. At 91 this authenticator is checked by the client computer. The steps at 89 are a dual of step 80, and the steps at 15 91 are a dual of step 82. The authentication means for steps 89 and 91 are described below.

20       Finally, settlement is performed at 92 in the external financial system 77 between external accounts that correspond to the sender and the beneficiary. If settlement is accomplished as part of real-time authorization at steps 86 and 87, as may occur in a real-time debit network, then no other steps need to be taken. If settlement is not accomplished as part of the authorization process, then financial system messages are 25 sent to interface 77 to effect settlement. Depending on the external accounts involved, these messages may include electronic funds transfer messages or automated clearinghouse messages.

30       In an alternate embodiment, at 92 settlement messages are sent to reconcile net transfer balances between principles on a temporal basis, for example once a day. In this embodiment the number of settlement messages can be less than the number of payment orders.

35       Authenticators may be created and checked using one of the following methods. The payment computer can

- 20 -

use any of the first four methods, and the client computer can use any of the methods described.

In a first method for authenticators, at steps 80 or 89, a digest of the payment order is signed by the sending computer using a public-key cryptographic system such as RSA. This signature is used as the authenticator. As is well known in the art, the signing can be accomplished using a private key created from a public-key pair, where the signing key is only known by the signer, and the other public key is known to the receiving computer. At the payment computer the public key corresponding to each sender is kept in credential database 76. The private key for the payment service is also kept in database 76. At steps 82 or 91, the signature of the received message is checked using the public key known to the receiving computer.

In a second method for authenticators, at steps 80 or 89, a digest of the payment order is signed by the sending computer with a private key cryptosystem such as DES. This signature is used as the authenticator. At the payment computer, the private key corresponding to each sender is kept in credential database 76. At step 80, a digest of the payment order is signed by the client computer, and at step 89 a digest of the payment order with an added approval code is signed by the payment computer using the same private key. At steps 82 or 91, the signature of the received message is checked using the shared private key.

In a third method for authenticators, at step 80 the authenticator is computed by a protected device external to the system such as a Smart-Card. A protected device is specifically designed to be extremely difficult both to replicate and to compromise. In this method, the payment order is communicated at 80 to a Smart-Card. The Smart-Card computes and signs a digest of the payment

- 21 -

order, and then communicates the signature back at 80 to be used as an authenticator. A Smart-Card produced authenticator uniquely associates a payment order with its creating Smart-Card. This is accomplished by having the Smart-Card contain a secret key "K" that is used to create a digital signature of the payment order. "K" is never released outside of the Smart-card. The Smart-Card is designed to make it computationally infeasible to compute "K" even with possession of the device. In this method, at step 82, a signature checking key from database 76 is used to check the authenticator. In an alternate embodiment, a user must manually signal their acceptance of each payment order on an input device that is part of the external device before the authenticator is created by the external device.

In a fourth method for authenticators, at steps 80 or 89, a network address is used as an authenticator. At steps 82 or 91, a digest of the payment order is sent back to the specified network address along with a random password. The computer at the specified network address must then return the payment order digest along with the password. If the network guarantees to deliver messages to the proper network address, this method will guarantee that the user or computer at the specified network address approves of the payment order. Assuming that network delivery is trusted, this method can be used to authenticate a sender computer's network address in a payment order. Alternatively, electronic mail can be used to send such confirmation messages between a user and the payment system.

In a fifth method for authenticators, at step 80, the authenticator is produced by an external device that produces a sequence of non-predicable transaction identifiers that are device specific. The authenticator is entered by the user into the client computer by

- 22 -

reading its display. One such device is described in U.S. Patent 4,856,062. According to this method, at step 91, the authenticator can be checked using the sender specific fixed code of the device which is kept in database 76. This sequence of steps is also shown in Figure 15 at steps 93 and 94.

In a sixth method for authenticators, at step 80, the authenticator is obtained by querying the user for a transaction identifier that is the next string from a physical list of one-time authorization strings. Such as list could be produced on a card, and the user can cross off authorization strings as they are used. According to this method, at step 91, the authenticator is checked against the next expected string from the sender using database 76. Database 76 can hold for each sender a list of random authorization strings, or can hold a sender specific secret key that was used to generate the list of authentication strings along with how many strings have been used so far. This sequence of steps is also shown in Figure 15 at 93 and 94.

In a seventh method for authenticators, at step 80 the authenticator is a previously obtained personal identification number (PIN) for the user. In this method in 91 the authenticator is checked against the expected PIN for the sender using database 76.

As will be obvious to one skilled in the art, any of the methods for creating authenticators can be used together to increase system security. For example, authenticator method six can be used to create an authenticator based on a transaction identifier, and then a payment order including a transaction identifier can be given a further authenticator using authenticator method one. In this example the resulting authenticators would be checked with their respective methods.



- 23 -

A digest of a payment order can be created with an algorithm such as MD5 [R. Rivest, The MD5 Message-Digest Algorithm, MIT Laboratory for Computer Science, Network Working Group Request for Comments 1321].

5. Alternatively, a digest can be the entire payment order or other functions of the payment order's component parts.

In addition in both the sales and payment systems alternate authenticator techniques can be used such as those described by Voydock and Kent in "Security Mechanisms in High-level Network Protocols", Computing Surveys Vol. 15, No. 2, June 1983. As will be appreciated by those skilled in the art, two-way authenticated byte-stream or remote procedure call interface connections that protect against replay can replace our message based authenticators.

Additions, subtractions, deletions, and other modifications of the described embodiment will be apparent to those practiced in the art and are within the scope of the following claims.

- 24 -

CLAIMS

1. A network sales system comprising  
a plurality of buyer computers and at least one  
merchant computer interconnected by a communications  
network,

5 means at each merchant computer for maintaining  
and providing a database of digital advertisements  
comprising

means for storing said digital advertisements,  
each digital advertisement including a product abstract,

10 means for communicating a digital advertisement  
to a buyer computer over said network in response to a  
network request from said buyer computer,

means at each buyer computer for requesting,  
displaying, and responding to digital advertisements

15 comprising

means responsive to a user inquiry for selecting  
a merchant computer and obtaining a digital advertisement  
for a product from said database of advertisements at  
said merchant computer,

20 display means for displaying said advertisement,

purchase means responsive to a user request for  
communicating a purchase message to said merchant  
computer,

25 account identification means for transmitting the  
user's account information to said merchant computer,

means, at said merchant computer, comprising

authorization means to authorize said purchase  
message by sending messages into a financial system  
network,

30 fulfillment means to send said product to user  
conditional on approval of said authorization means.

- 25 -

2. The network sales system of claim 1 further wherein said authorization means at said merchant computer comprises

means for communicating a missing payment  
5 information request message to said buyer computer to obtain missing payment information,

means for receiving said missing payment information from said buyer computer,

means for authorizing said purchase message by  
10 sending messages into a financial system network,

and said account identification means at said buyer computer comprises

means responsive to said missing payment information request message to query the user for  
15 additional payment information,

means to send said additional payment information to said merchant computer.

3. The network sales system of claim 1 further wherein said account identification means comprises

20 means for assembling a payment order,

means for sending said payment order to a network payment system for authorization,

and wherein said authorization means comprises

means for verifying that said payment order has  
25 been previously authorized by said payment system.

4. An electronic sales system comprising

means for storing a database of digital advertisements, each digital advertisement for a product including a program,

30 means for communicating a digital advertisement to a buyer computer,

means at said buyer computer for displaying and responding to said digital advertisement comprising

- 26 -

display means for displaying said digital advertisement by executing a portion of said advertisement as a program and performing actions as specified by said program,

5 purchase means responsive to a user request for communicating a purchase message to a merchant computer, means, at said merchant computer, comprising fulfillment means to send said product to user.

10 5. A network payment system comprising a plurality of client computers and at least one payment computer interconnected by a public packet switched communications network, means at a client computer for performing payment comprising

15 payment specification means for constructing a payment order from a sender to a beneficiary,

signing means for authenticating said payment order as originating from said sender, 20 means for sending said payment order to a payment computer,

means for receiving a payment order authorization message from said payment computer,

means responsive to a payment order message at 25 said payment computer comprising verification means for verifying that said sender originated said payment order,

authorization means for sending a message into a financial authorization network to verify that said 30 sender has adequate funds or credit and receiving an authorization in response,

means for recording said payment order and authorization in a settlement database,

- 27 -

response means for sending an  
authorization message to said client computer,  
means for sending at least one message  
into a financial system network to transfer funds from  
5 said sender to said beneficiary.

6. The network payment system of claim 5 further  
wherein said payment specification means comprises  
means for constructing a payment order, said  
payment order including a delivery address,  
10 and said verification means comprises  
means for verifying that said sender originated  
said payment order and checking said delivery address  
against a database of allowed delivery addresses for said  
sender.

15 7. The network payment system of claim 5 further  
wherein said response means comprises  
means for determining allowed delivery addresses  
for said sender,  
means for sending an authorization message to  
20 said client computer that includes allowed delivery  
addresses.

8. The network payment system of claim 5 further  
wherein said signing means comprises  
means for generating the next expected  
25 transaction identifier for said sender and using it to  
create an authenticator,  
and wherein said verification means comprises  
means for generating the next expected  
transaction identifier for said sender, and  
30 means for verifying that said authenticator was  
created using said transaction identifier.

- 28 -

9. The network payment system of claim 5 further wherein said signing means comprises means for generating an authenticator using an external device,

5 and wherein said verification means comprises means for verifying that said authenticator was created using said external device.

10 10. The network payment system of claim 5 further wherein said payment specification means comprises means for constructing a payment order from a sender, said payment order including a client computer's network address, and said verification means comprises 15 means for verifying said payment order was constructed at said client computer's network address and checking said client address against a database of allowed client addresses for said sender.

20 11. The network payment system of claim 5 further wherein said authorization means comprises determination means for determining the necessity for real-time authorization, means for performing real-time authorization conditioned on said determination means.

25 12. A method for effecting sales over a network sales system having a plurality of buyer computers and at least one merchant computer interconnected by a communications network, encompassing the steps of maintaining and providing a database of digital 30 advertisements at each merchant computer storing said digital advertisements, each digital advertisement including a product abstract,

- 29 -

communicating a digital advertisement to a buyer computer over said network in response to a network request from said buyer computer,

requesting, displaying, and responding at each  
5 buyer computer to digital advertisements comprising the steps of

selecting in response to a user inquiry a merchant computer and obtaining a digital advertisement for a product from said database of advertisements at  
10 said merchant computer,

displaying said advertisement,

communicating in response to a user request a purchase message to said merchant computer,

transmitting the user's account information to  
15 said merchant computer,

authorizing at said merchant computer said purchase message by sending messages into a financial system network, and

sending said product to said user conditional on  
20 approval from said authorizing step.

13. The network sales method of claim 12 further wherein said authorizing step, at said merchant computer, comprises the steps of

communicating a missing payment information  
25 request message to said buyer computer to obtain missing payment information,

receiving said missing payment information from said buyer computer,

authorizing said purchase message by sending  
30 messages into a financial system network,

and said account identification step at said buyer computer comprising the steps of

- 30 -

querying the user for additional payment  
information responsive to said missing payment  
information request message,

and sending said additional payment information  
5 to said merchant computer.

14. The network sales method of claim 12 further  
wherein said account identification step comprises the  
steps of

assembling a payment order, and  
10 sending said payment order to a network payment  
system for authorization,  
and wherein said authorization step comprises the  
step of  
verifying that said payment order has been  
15 previously authorized by said payment system.

15. An electronic sales method comprising the  
steps of

storing a database of digital advertisements,  
each digital advertisement for a product including a  
20 program,  
communicating a digital advertisement to a buyer  
computer,  
displaying and responding to said digital  
advertisement at said buyer computer comprising the steps  
25 of  
displaying said digital advertisement by  
executing a portion of said advertisement as a program  
and performing actions as specified by said program,  
communicating a purchase message in response to a user  
30 request to a merchant computer,  
sending at said merchant computer said product to  
user.



- 31 -

16. A network payment method comprising the steps of interconnecting a plurality of client computers and at least one payment computer by a public packet switched communications network,

5 performing payment at a client computer comprising the steps of

constructing a payment order from a sender to a beneficiary,

10 authenticating said payment order as originating from said sender,

sending said payment order to a payment computer, and receiving a payment order authorization message from said payment computer,

15 responding to a payment order message at said payment computer comprising the steps of verifying that said sender originated said payment order,

sending a message into a financial authorization network to verify that said sender has adequate funds or 20 credit and receiving an authorization in response,

recording said payment order and authorization in a settlement database,

sending an authorization message to said client computer,

25 and sending at least one message into a financial system network to transfer funds from said sender to said beneficiary.

17. The network payment system of claim 16 further wherein said constructing step means comprises 30 the steps of

constructing a payment order, said payment order including a delivery address,

and said verifying step comprises the steps of

- 32 -

verifying that said sender originated said payment order, and  
checking said delivery address against a database of allowed delivery addresses for said sender.

5           18. The network payment method of claim 16 further wherein said second sending step comprises the steps of  
determining allowed delivery addresses for said sender,  
10           and sending an authorization message to said client computer that includes allowed delivery addresses.

15           19. The network payment method of claim 16 further wherein said authenticating step comprises the steps of  
generating the next expected transaction identifier for said sender and using it to create an authenticator,  
and wherein said verifying step comprises the  
20           steps of  
generating the next expected transaction identifier for said sender,  
and verifying that said authenticator was created using said transaction identifier.

25           20. The network payment method of claim 16 further wherein said authentication step comprises the step of  
generating an authenticator using an external device,  
30           and wherein said verifying step comprises the steps of

- 33 -

verifying that said authenticator was created using said external device.

21. The network payment method of claim 16 further wherein said constructing step comprises the step  
5 of

constructing a payment order from a sender, said payment order including a client computer's network address,

and said verifying step means comprises the steps  
10 of

verifying said payment order was constructed at said client computer's network address,


and checking said client address against a database of allowed client addresses for said sender.

15 22. The network payment method of claim 16 further wherein said second sending step comprises the steps of

determining the necessity for real-time authorization,

20 and performing real-time authorization conditioned on its determined necessity.

1/16

**FIG. 1**


2/16


NCSA Mosaic: Document View

File    Options    Navigate    Annotate    Help

Document Title:

Document URL:







Welcome to The Information Exchange

Today's Headlines <sup>1</sup>

Radio Headlines <sup>2</sup>

Query:  

<sup>3</sup> 

Process

FIG. 2

3/16


NCSA Mosaic: Document View				
<u>File</u>	<u>Options</u>	<u>Navigate</u>	<u>Annotate</u>	<u>Help</u>
Document Title:	<input type="text" value="The Information Exchange eadlines"/>			
Document URL:	<input type="text" value="http://sparta.lcs.mit.edu/gifford/ix-2.html"/>			
<h2>New York Times Headlines</h2>				
<p>SHUTTLE HUBBLE (Houston)- Arriving for a house call 357 miles above Earth, the astronauts of the space shuttle Endeavor on Saturday reached out with a mechanical grapppling arm and easily snared the Hubble space telescope and prepared to treat the crippled spacecraft in five days of the most complex orbital repairs yet attempted. By John Noble Wilford</p>				
<u>\$1.00</u>		<u>5</u>		
<p>HEALTH-ALLIANCE (Washington)- If the Clinton health plan becomes law, it will put a new institution into the lives of most Americans: the health alliance. Almost no other aspect of the plan is so little understood or so radically different from the status quo. By Robin Toner.</p>				
<u>\$0.75</u>		<u>6</u>		
<p>GAMBLING (Las Vegas)- The newest perspective on the booming national industry of legalized gambling is now open for business: futuristic virtual-reality rides to soothe the losers' souls, just up the theme park escalator from acres of the latest video slot machines. By Francis X. Clines.</p>				
<u>\$0.75</u>		<u>7</u>		
<div>Back Forward Home Reload Open Save As... Clone New Window Close Window</div>				

FIG. 3

4/16

NCSA Mosaic: Document View

File   Options   Navigate   Annotate   Help

Document Title:

Document URL:

**Digital Copyright License Purchase**

In exchange for the specified fee you will be licensed for individual use of copyrighted material.

Charge \$1.00 to my:

1. ☐ Intetet Card — 8
2. ☐ Mastercard — 9
3. ☐ Visa — 10
4. ☐ American Express — 11
5. ☐ Discover — 12

Account Number:  — 13

Authenticator:  — 14

Purchase — 15

Cancel — 16

Your Reference: 17

Back Forward Home Reload Open Save As... Clone New Window Close Window

FIG. 4

5/16

18



NCSA Mosaic: Document View	
<u>File</u>	<u>Options</u> <u>Navigate</u> <u>Annotate</u> <u>Help</u>
Document Title:	<div> <div> TROUBLED HUBBLE SPACE TELESCOPE PULLED IN BY SHUTTLE FOR REPAIRS </div>  </div>
Document URL:	<div> <div> http://sparta.lcs.mit.edu/gifford/ix-7.html </div> </div>
<div> <div> <h1>TROUBLED HUBBLE SPACE TELESCOPE PULLED IN BY SHUTTLE FOR REPAIRS</h1> <p>By JOHN NOBLE WILFORD The New York Times (Copyright 1993 The New York Times)</p> <hr/> <p>priority: Urgent date: 12-04-93 1712EST category: Domestic subject: BC SHUTTLE HUBBLE ART</p> <hr/> <p>HOUSTON- Arriving for a house call at 357 miles above Earth, the astronauts of the space shuttle Endeavor reached out Saturday with a mechanical grappling arm and easily snared the Hubble telescope.</p> <p>The orbital retrieval paves the way for the shuttle's astronauts to treat the crippled spacecraft in five days of the most complex orbital repairs yet attempted.</p> <p>"Houston, Endeavor has a firm handshake with Mr. Hubble's telescope," Col. Richard D. Covey of the Air Force, the shuttle commander, radioed to Mission Control in Houston after the robotic arm had grasped the 1.6 billion telescope.</p> <p>The shuttle's successful rendezvous with the orbiting telescope was the first major step in a mission that could be fateful to both astronomy and NASA.</p> <p>Installing new mirrors to overcome Hubble's blurred vision will return the telescope to its full abilities, giving the astronomers a view almost to the edge of the universe. And such a highly visible success could boost the space agency's reputation at a time it is seeking support for building an international space station.</p> <p>Once the 12.5-ton telescope was securely berthed in the open cargo bay Saturday morning, it was ready for the astronauts to begin the first of their five space walks early Sunday morning.</p> <p>The schedule calls for Dr. Musgrave and Dr. Jeffrey A. Hoffman to replace failed gyroscopes, two electronic control units and some fuses.</p> </div> <div>  </div> </div>	
<div> <div>Back</div> <div>Forward</div> <div>Home</div> <div>Reload</div> <div>Open</div> <div>Save As...</div> <div>Clone</div> <div>New Window</div> <div>Close Window</div> </div>	

FIG. 5



6/16





FIG. 6

**FIG. 7**

8/16





FIG. 8

9/16

NCSA Mosaic: Document View		
<u>File</u>	<u>Options</u>	<u>Navigate</u> <u>Annotate</u> <u>Help</u>
Document Title: <input style="width: 90%;" type="text" value="Query Results: movie review"/>		
Document URL: <input style="width: 90%;" type="text" value="http://sparta.lcs.mit.edu/~gifford/ix-4.html"/>		
<div style="border: 1px solid black; padding: 10px;"> <h2 style="margin: 0;">QUERY RESULTS: movie review</h2> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>1. Dec. 2 1993 14:32 [78 lines] <u>\$1.00</u> <span style="float: right;">46</span></p> <p style="margin-left: 20px;">In "A Dangerous Women," Debra Winger sinks deeply into the drab role of Martha Horgan, a sheltered innocent living in a small California town.</p> </div> <div style="width: 15%; text-align: right;">39</div> <div style="width: 5%; text-align: right;">45</div> </div> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>2. Dec. 2 1993 14:23 [60 lines] <u>\$1.00</u></p> <p style="margin-left: 20px;">"Deception" is a fabulously farfetched story about the string of surprises that leads Bessie Faro (Andie MacDowell) all over the world.</p> </div> <div style="width: 15%; text-align: right;">40</div> </div> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>3. Nov. 26 1993 19:43 [49 lines] <u>\$1.00</u></p> <p style="margin-left: 20px;">"Twenty Bucks" follows a \$20 dollar bill from the moment it's dispensed by an automatic teller machine to its destruction months later. Along the way it passes through the hands of dozens of individuals from all walks of life.</p> </div> <div style="width: 15%; text-align: right;">41</div> </div> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>4. Nov. 23 1993 18:46 [48 lines] <u>\$1.00</u></p> <p style="margin-left: 20px;">("A Perfect World," a drama, is rated PG-13 for language and violence. It received 3 and one-half stars out of 4.)</p> <p style="margin-left: 20px;">Clint Eastwood and Kevin Costner represent the best of Hollywood's stars who entertain without sacrificing artistic integrity. In "A Perfect World," their reputations remain intact.</p> </div> <div style="width: 15%; text-align: right;">42</div> </div> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>5. Nov. 23 1993 18:46 [53 lines] <u>\$1.00</u></p> <p style="margin-left: 20px;">("GEORGE BALANCHINE'S 'NUTCRACKER,'" a dance film, is rated G. It received 2 stars out of 4.)</p> <p style="margin-left: 20px;">A straightforward record of the annual Christmas show staged by the New York City Ballet, "George Balanchine's 'Nutcracker,'" would have gone directly to TV if not for the participation of</p> </div> <div style="width: 15%; text-align: right;">43</div> </div> <hr/> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 80%;"> <p>6. Nov. 23 1993 18:46 [60 lines] <u>\$1.00</u></p> <p style="margin-left: 20px;">("WE'RE BACK! A DINOSAUR'S STORY," an animated feature, is rated G. It received 2 stars out of 4.)</p> <p style="margin-left: 20px;">Kids won't even understand the best joke in the animated "We're Back! A Dinosaur's Story." It has to do with a godlike line- and space-traveling</p> </div> <div style="width: 15%; text-align: right;">44</div> </div> </div>		

Back
Forward
Home
Reload
Open
Save As...
Clone
New Window
Close Window

FIG. 9


10/16

NCSA Mosaic: Document View

File   Options   Navigate   Annotate   Help

Document Title:

Document URL:



---

### Digital Copyright License Purchase

---

In exchange for the specified fee you will be licensed for individual use of the copyrighted material

---

Confirm a charge of \$1.00 ov your VISA 4262 1501 2000 1466 —47

Purchase —48

Cancel —49

---

Your Reference:

50

Back Forward Home Reload Open Save As... Clone New Window Close Window

FIG. 10

11/16

51




FIG. 11

12/16




FIG. 12

13/16






FIG. 13



14/16

**FIG. 14**

**FIG. 15**

16/16




FIG. 16

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US94/14319

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :G06F 157:00

US CL :364/401,408

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 364/401, 406, 408; 340/825.33; 380/23, 24; 902/1, 2, 24

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
none

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS Database Search

Search terms include: home(2a)shop?, electronic?(2a)shop?, advertis?(p)program, download?(w)program?

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,799,156 (SHAVIT ET AL.) 17 January 1989, see entire document.	1-22
Y	US, A, 4,992,940 (DWORKIN) 12 February 1991, see col. 2, lines 30-34.	1-22
Y	US, A, 4,775,935 (YOURICK) 4 October 1988, see figures 5b and 6.	4, 15
Y	US, A, 4,935,870 (BURK, JR. ET AL.) 19 June 1990, see col. 15.	4, 15
Y	US, A, 5,025,373 (KEYSER, JR. ET AL.) 18 June 1991, see col. 4, lines 45-58, col. 6, lines 1-25, and col. 8, lines 39-45.	5, 8-9, 16, 19-20

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be part of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

23 JANUARY 1995

Date of mailing of the international search report

01 MAY 1995

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

DAVID M. HUNTLEY

Telephone No. (703) 305-9775

## INTERNATIONAL SEARCH REPORT

national application No.  
PCT/US94/14319

**C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,812,628 (BOSTON ET AL.) 14 March 1989, see entire disclosure.	11, 22
Y	US, A, 4,922,521 (KRIKKE ET AL.) 01 May 1990, see col. 6, lines 1-52.	6-7, 10, 17-18, 21

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**